

## Blind Flenzen

Matrix (hars) Derakane 470

Drilling Standard: ANSI B16.5 Class 300



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
1	25	16	125	89	4	19	20	BFC-25-16/300
2	40	16	154	114	4	22	20	BFC-40-16/300
3	50	16	164	127	8	19	20	BFC-50-16/300
4	65	16	200	149	8	22	20	BFC-65-16/300
5	80	16	220	168	8	22	25	BFC-80-16/300
6	100	16	255	200	8	22	25	BFC-100-16/300
7	125	16	285	235	8	22	30	BFC-125-16/300
8	150	16	325	270	12	22	28	BFC-150-16/300
9	150	20	325	270	12	22	30	BFC-150-20/300
10	150	25	325	270	12	22	35	BFC-150-25/300
11	200	16	380	330	12	25	35	BFC-200-16/300
12	200	20	380	330	12	25	40	BFC-200-20/300
13	200	25	380	330	12	25	44	BFC-200-25/300
14	250	16	450	387	16	29	40	BFC-250-16/300
15	250	20	450	387	16	29	44	BFC-250-20/300
16	250	25	450	387	16	29	52	BFC-250-25/300

### Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024

# Blind Flenzen

Matrix (hars) Derakane 470

Drilling Standard: ANSI B16.5 Class 300



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
17	300	16	540	451	16	32	48	BFC-300-16/300
18	300	20	540	451	16	32	52	BFC-300-20/300
19	300	25	540	451	16	32	60	BFC-300-25/300
20	350	16	585	514	20	32	52	BFC-350-16/300
21	350	20	585	514	20	32	60	BFC-350-20/300
22	350	25	585	514	20	32	68	BFC-350-25/300
23	400	16	660	572	20	35	60	BFC-400-16/300
24	400	20	660	572	20	35	68	BFC-400-20/300
25	400	25	660	572	20	35	74	BFC-400-25/300
26	450	16	710	629	24	35	68	BFC-450-16/300
27	450	20	710	629	24	35	74	BFC-450-20/300
28	450	25	710	629	24	35	85	BFC-450-25/300
29	500	16	775	686	24	35	74	BFC-500-16/300
30	500	20	775	686	24	35	80	BFC-500-20/300
31	500	25	775	686	24	35	90	BFC-500-25/300
32	600	16	915	813	24	41	85	BFC-600-16/300
33	600	20	915	813	24	41	95	BFC-600-20/300

## Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024

# Blind Flenzen

Matrix (hars) Derakane 470

Drilling Standard: ANSI B16.5 Class 300



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
34	600	25	915	813	24	41	105	BFC-600-25/300

## Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024