

Blind Flansche

Matrix (Harztyp) Vinylester (Derakane 411 oder Äquivalent)

Drilling Standard: EN1092 PN6



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
1	200	6	320	280	8	18	20	BFS-200-06/06
2	250	6	395	335	12	18	25	BFS-250-06/06
3	300	6	445	395	12	22	28	BFS-300-06/06
4	350	6	505	445	12	22	35	BFS-350-06/06
5	400	6	565	495	16	22	35	BFS-400-06/06
6	450	3	620	550	16	22	32	BFS-450-03/06
7	450	6	615	550	16	22	40	BFS-450-06/06
8	500	3	674	600	20	22	35	BFS-500-03/06
9	500	6	670	600	20	22	44	BFS-500-06/06
10	600	3	760	705	20	26	42	BFS-600-03/06
11	600	6	755	705	20	26	52	BFS-600-06/06
12	700	3	875	810	24	26	48	BFS-700-03/06
13	700	6	875	810	24	26	60	BFS-700-06/06
14	800	2	995	920	24	30	40	BFS-800-02/06
15	800	3	995	920	24	30	60	BFS-800-03/06
16	800	6	995	920	24	30	68	BFS-800-06/06

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

Blind Flansche

Matrix (Harztyp) Vinylester (Derakane 411 oder Äquivalent)

Drilling Standard: EN1092 PN6



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
17	900	3	1090	1020	24	30	60	BFS-900-03/06
18	900	6	1090	1020	24	30	78	BFS-900-06/06
19	1000	3	1200	1120	28	30	68	BFS-1000-03/06
20	1000	6	1200	1120	28	30	85	BFS-1000-06/06
21	1200	1	1440	1340	32	33	45	BFS-1200-01/06
22	1200	3	1440	1340	32	33	80	BFS-1200-03/06
23	1200	6	1440	1340	32	33	105	BFS-1200-06/06
24	1400	1	1650	1560	36	36	50	BFS-1400-01/06
25	1400	3	1650	1560	36	36	95	BFS-1400-03/06
26	1400	6	1650	1560	36	36	120	BFS-1400-06/06
27	1600	1	1850	1760	40	36	55	BFS-1600-01/06
28	1600	3	1850	1760	40	36	100	BFS-1600-03/06
29	1600	6	1850	1760	40	36	130	BFS-1600-06/06
30	1800	1	2060	1970	44	39	65	BFS-1800-01/06
31	1800	3	2060	1970	44	39	120	BFS-1800-03/06
32	1800	6	2060	1970	44	39	145	BFS-1800-06/06
33	2000	1	2280	2180	48	42	75	BFS-2000-01/06

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

Blind Flansche

Matrix (Harztyp) Vinylester (Derakane 411 oder Äquivalent)

Drilling Standard: EN1092 PN6



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
34	2000	3	2280	2180	48	42	125	BFS-2000-03/06
35	2000	6	2280	2180	48	42	160	BFS-2000-06/06
36	2200	1	2500	2390	52	42	85	BFS-2200-01/06
37	2200	3	2500	2390	52	42	135	BFS-2200-03/06
38	2200	6	2500	2390	52	42	175	BFS-2200-06/06
39	2400	1	2710	2600	56	42	95	BFS-2400-01/06
40	2400	3	2710	2600	56	42	150	BFS-2400-03/06
41	2400	6	2710	2600	56	42	190	BFS-2400-06/06

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

21-04-2026